

IX INDEX

Valid names in italics, synonyms in roman, names not available in parentheses

Page numbers: keys in italics, descriptions and synonymies in roman, figure numbers in parentheses

A. GENERA AND SUBGENERA

<i>Acmaeodera</i> Eschscholtz	7, 8
<i>Acmaeoderella</i> Cobos	8
<i>Neopolycesta</i> Kerremans	63, 107
<i>Nothomorpha</i> Spinola	72
<i>Paracmaeodera</i> Théry	7, 83
<i>Ptychomus</i> Marseul	7, 113
<i>Rugacmaeodera</i> Holm	7, 50

B. SPECIES AND SUBSPECIES

(abbreviata Klug MS name)	32
abenabina Obenberger	105
abyssinica Kerremans	9, 12 (8)
abyssinica Théry	86
adpersa (F.)	68
aenea Kerremans	115, 120 (20)
aeneicollis (de Geer)	91
(aestivalis Obenberger MS name)	35, (7)
aequalis Obst	85, 101 (17, 30)
aethiopica Obenberger	52, 74 (15, 27)
affabilis Kerremans	9, 10 (4, 21)
albovillosa Fahraeus	85, 88 (18, 29)
alceone Thomson	10, 41 (7, 23)
alhuaudi Kerremans	51, 62 (12, 25)
aloensis Holm	37 (9)
(alternecarinata Obenberger MS name)	95
amoenua Fahraeus	9, 19 (6, 21)
amorosella Obenberger	82, (16)
(ancilla Quedenfeldt MS name)	63
ancilla Harold	63
angolae Obenberger	76 (13)
angustata Obst	102
annectens Kerremans	80 (16)
(annectens Péringuey MS name)	80
anniae Obenberger	10 (4)
anthochaera Obenberger	92
anthracina Obenberger	16
antoniae Gory	35 (7)
(apiata Dejean MS name)	34 (7)
apiceflava Obenberger	68
apicerubra Marseul	20 (5)
arabica Gory	114, 118 (20, 33)
argentosa Théry	48
argodi Kerremans	115, 126, (20, 34)
arnoldi Théry	63
assimilis Théry	112
atratura Obenberger	27
aureolimbata Boheman	94 (18, 29)
auriferoides Holm	114, 124 (20, 34)
auroimbata Boheman	84, 111 (19, 32)
(australis Péringuey MS name)	30 (9)
(babaulti Théry MS name)	95
(balteata Péringuey MS name)	35 (7)
balthasari Obenberger	115, 125 (20, 34)
(bamanquata Obenberger MS name)	76 (13)
banghaasi Théry	10 (14)
(barolonga Obenberger MS name)	76 (13)
baromensis Obenberger	63
basiconcava Holm	39 (9)
basilewskyi Holm	85, 98 (17, 30)
basinotata Obenberger	42 (7)
basisignata Obenberger	35
basuta Obenberger	21 (5)
bella Nonfried	99
bellivestis Marseul	53 (11)
benguelensis Obenberger	17 (4)
bequaerti Kerremans	51, 81 (16, 28)
berberae Abeile	19 (4)
bifasciata (Thunberg)	9, 39 (6, 22)
bifossa Chevrolat	34 (7)
(bilunata Klug MS name)	41

<i>bistriguttata</i> Gory	9, 36 (9, 22)
(<i>bistriguttata</i> Dejean MS name)	36
(<i>bohemani</i> Kerremans)	94
<i>bourgoini</i> Obenberger	122 (20)
<i>boviei</i> Obenberger	78 (14)
<i>braunsella</i> Obenberger	42 (7)
<i>braunsi</i> Obenberger	25 (8)
<i>breDOI</i> Burgeon	107
<i>brooksi</i> Waterhouse	84, 112 (19, 32)
<i>bruneocostata</i> Lotte	47
<i>buarensis</i> Obenberger	107
<i>burtii</i> Théry	56 (11)
<i>butensis</i> Théry	51, 65 (16, 26)
<i>cadabae</i> Roth	46
<i>caeruleonigra</i> Obenberger	9, 27
<i>calosoma</i> Obenberger	82 (16)
<i>camilla</i> Obenberger	31 (9)
<i>campanai</i> (Théry)	98 (18)
<i>cantrelli</i> Holm	78 (14)
<i>capeneri</i> Cobos	111
<i>capensis</i> Obenberger	26 (8)
<i>capicola</i> Thomson	9, 27 (5)
<i>capillifera</i> Obenberger	36 (9)
<i>cardinalis</i> Obenberger	94
<i>carnoti</i> (Théry)	107
(<i>casperi</i> Théry MS name)	86
<i>chaboti</i> Théry	65 (16)
<i>chaetosoma</i> Obenberger (<i>incertae sedis</i>)	49
<i>chevolati</i> Spinola (<i>incertae sedis</i>)	49
<i>chlorizans</i> Obenberger	88
<i>childreni</i> Castelnau & Gory (<i>incertae sedis</i>)	49
(<i>chrysoloma</i> Dejean MS name)	91
<i>chrysoloma</i> Thomson	94
<i>chudeani</i> Descarpentries	121
<i>circe</i> Obenberger	20 (5)
(<i>clara</i> Obenberger MS name)	34 (7)
<i>cobosi</i> Holm	115, 116 (20)
<i>coccinella</i> Kerremans	75 (13, 26)
<i>combretumi</i> Théry	51, 55 (11)
(<i>congener</i> Dejean MS name)	72
<i>congener</i> Spinola	52, 72 (15, 27)
<i>conjunctella</i> Obenberger	26 (8)
<i>consobrina</i> Klug	108
<i>conspersa</i> (Thunberg)	10, 33 (7, 24)
<i>convoluta</i> (Klug)	9, 46 (10)
(<i>costata</i> (Herbst))	39
<i>costulata</i> Kerremans	70 (14)
<i>costulifera</i> Obenberger	101
<i>costulipennis</i> Obenberger	90
<i>crenatostriata</i> Obenberger	70 (15)
<i>cuprea</i> Ancy	63
<i>cupreosaturata</i> Obst	115, 127 (20, 34)
<i>cupreoviridis</i> Kerremans	88
<i>cuprina</i> Boheman	104
<i>curtus</i> (Théry)	123
<i>damarana</i> Kerremans	105
<i>decemguttata</i> (Thunberg)	10, 25 (9, 22)
<i>degeeri</i> Waterhouse	94 (18, 29)
<i>deliciosella</i> Obenberger	82 (16)
<i>denudata</i> Obenberger	61 (12)
<i>deplanata</i> Théry	84, 112 (20, 32)
<i>descarpentriesi</i> Holm	126 (20)
<i>dewetti</i> Obenberger	19 (6)
<i>dianae</i> Holm	44 (10)
<i>dirupta</i> Obenberger	20 (5)
<i>discoidalis</i> Nonfried	61 (12)
<i>dispersemaculata</i> Lotte	47
(<i>ditula</i> Péringuey MS name)	123
<i>dives</i> Nonfried	99
<i>divinula</i> Obenberger	17 (4)
(<i>dregei</i> Castelnau & Gory MS name)	72
<i>dregei</i> Théry	72 (15)
<i>dumbrodyensis</i> Holm	15 (10)
<i>elateroides</i> (Herbst)	91
<i>elevata</i> (Klug)	84, 89 (18, 29)
<i>elyae</i> Holm	9, 28 (5, 24)
<i>elongata</i> Kerremans	103
<i>embrikina</i> Obenberger	36 (9)
<i>embrikstrandella</i> Obenberger	26 (8)
<i>emili</i> Obenberger	32 (6)

<i>enneastigma</i> Obenberger	36 (9)
<i>erlangeri</i> (Théry)	122
<i>errata</i> Kerremans	19 (6)
<i>erythroloma</i> Gory	32 (6)
<i>erytrensis</i> Holm	51, 76 (13, 26)
<i>eulasia</i> Obenberger	87
<i>euptera</i> Obenberger	54 (11)
<i>euthorax</i> Obenberger	36 (9)
<i>exasperans</i> Kerremans	51, 53 (11, 25)
<i>excellens</i> (Klug)	85, 104 (17, 31)
<i>fabricii</i> Obenberger	37 (9)
<i>fahrei</i> Kerremans	17 (4)
<i>fallax</i> Péringuey	38 (9, 22)
<i>fasciata</i> Boheman	95
<i>fasciata</i> Roth	8, 45 (10, 23)
<i>fascigera</i> Harold	84, 95 (19, 32)
<i>fascipennis</i> Kraatz	61 (12)
<i>ferrandi</i> Obenberger	115, 115 (20, 33)
<i>flavipennis</i> (Klug)	9, 47 (10, 23)
(<i>flaviventris</i> Obenberger MS name)	80
<i>flavofasciata</i> (Herbst)	43 (7)
(<i>formosa</i> Buquet MS name)	109
<i>fossiceps</i> Quedenfeldt	84, 107 (19, 32)
<i>fossicollis</i> Harold	99
<i>foudrasi</i> Solier	115, 122 (20, 34)
<i>franchetii</i> (Théry)	115, 124 (20, 34)
<i>fraterna</i> Boheman	94
(<i>fraudulenta</i> Péringuey MS name)	54 (11)
<i>fulvicollis</i> (Herbst)	92
<i>fulvipennis</i> Kerremans	61 (12)
<i>gabonensis</i> Thomson	109
<i>gaerdesi</i> Descarpentries	13 (8)
<i>gamensis</i> Harold	104
(<i>gentilis</i> Kerremans MS name)	75 (13)
<i>gentilis</i> Péringuey	10, 24 (8, 22)
<i>gibba</i> Castelnau & Gory	89
<i>gibbosa</i> (Olivier)	92
<i>glabella</i> Obenberger	9, 15 (10, 23)
<i>glabra</i> Obenberger	85, 86 (18, 29)
<i>goryi</i> Saunders	26 (8)
<i>gracilis</i> Castelnau & Gory	26
<i>gracilis</i> (Wiedeman)	10, 32 (6, 24)
<i>grandicollis</i> Abeile	115, 128 (20, 34)
<i>grandis</i> Guerin	85, 104 (17, 31)
<i>grata</i> Fahraeus	9, 20 (5, 21)
<i>gratiosula</i> Obenberger	80 (16)
<i>gridellii</i> Obenberger	90
(<i>grisescens</i> Obenberger MS name)	34 (7)
<i>guillarmodi</i> Holm	31 (9)
(<i>hauseri</i> Théry MS name)	57
<i>hedjazensis</i> (Théry)	120
<i>hedwigae</i> Obenberger	9, 13 (8)
<i>hesperica</i> Obenberger	112
<i>hessei</i> Holm	10, 23 (10, 24)
<i>hexastigma</i> Obenberger	36 (9)
<i>hexi</i> Obenberger	34 (7)
<i>hiekei</i> Holm	20 (6)
<i>hieroglyphica</i> Fahraeus	52, 75 (13, 26)
<i>histrionica</i> Obenberger	21
<i>holubi</i> Obenberger	26 (8)
<i>howardi</i> Obenberger	76 (13)
<i>illustris</i> Théry	85, 97 (17, 30)
<i>ikuthensis</i> Holm	51, 57 (12, 25)
<i>immaculata</i> Andres	46
<i>impressicollis</i> Kerremans	51, 59 (14, 26)
<i>incognita</i> Kerremans (<i>incertae sedis</i>)	49
(<i>inops</i> Péringuey MS name)	78 (14, 26)
<i>inornata</i> (Péringuey) (<i>vide Neopolycesta</i>)	
<i>inornata</i> (Théry)	120
<i>inscripta</i> Fahraeus	51, 56 (12, 15)
<i>insolita</i> Obenberger	35
<i>interstitialis</i> Obenberger	92
(<i>iris</i> Obenberger MS name)	112
(<i>irridivestis</i> Abeile MS name)	115
<i>irrorata</i> (Thunberg)	68
<i>irrorella</i> Castelnau & Gory	51, 78 (13, 28)
<i>jamesi</i> Waterhouse	101
<i>jeanneli</i> Kerremans	85, 106 (17, 31)
<i>jermani</i> Obenberger	101
<i>kaimosiana</i> Théry	71

<i>kamanjabensis</i> Obenberger	103
<i>karooana</i> Holm	10, 28 (5, 24)
<i>katangae</i> Kerremans	78 (14)
<i>katonai</i> Holm	115, 124 (20)
<i>keniae</i> Obenberger	99
<i>keniensis</i> Théry	13 (8, 22)
(kigonserana Obenberger MS name)	109
<i>klugii</i> Saunders	120
<i>knobeli</i> Holm	15 (10)
<i>knochii</i> Holm	9, 23 (10, 24)
<i>kolbei</i> Kerremans	10, 29 (9)
<i>kosteriae</i> Holm	51, 58 (12, 26)
(kriegi Obenberger MS name)	88
<i>krugeri</i> Holm	51, 82 (12, 28)
<i>kunzeni</i> Holm	115, 127 (20, 34)
<i>kukepanica</i> Obenberger	38
<i>lacustris</i> Thomson	85, 87 (18, 29)
(laporteana Obenberger MS name)	53
<i>laura</i> Obenberger	30 (9)
<i>leprieuri</i> Klug	51, 82 (16, 28)
(leprosula Péringuey MS name)	68
<i>liliputana</i> Obenberger	45
<i>limavensis</i> Obenberger	32 (6)
<i>limbata</i> Castelnau	32 (6)
<i>limitans</i> Obenberger	32 (6)
<i>lomii</i> Obenberger	90
<i>longa</i> Holm	85, 95 (19, 29)
<i>longicrinis</i> Obenberger	9, 41 (7, 23)
<i>lucilla</i> Obenberger	31 (9)
<i>luculenta</i> Boheman	85, 99 (17, 30)
<i>lugubrina</i> Boheman	9, 16 (10, 21)
<i>lukulediana</i> Obenberger	55 (11)
<i>luteonigra</i> Obenberger	52, 67 (15, 27)
<i>luteopicta</i> Fahraeus	9, 11 (4, 22)
<i>luteopilis</i> Obenberger	90
(machulkai Obenberger MS name)	72 (15)
<i>marshalli</i> (Théry)	107
<i>massaica</i> Obenberger	22 (8)
<i>matabelica</i> Obenberger	60 (12)
<i>miniatospilota</i> Kerremans	52, 73 (15, 27)
(miniatospilota Péringuey MS name)	73
<i>minima</i> Holm	51, 59 (1, 26)
<i>minuta</i> Kerremans	46
<i>mombassica</i> Nonfried	51, 61 (12, 25)
<i>monardi</i> (Théry)	113
<i>monodi</i> (Théry)	120
<i>mulleri</i> Obenberger	123 (20)
<i>mulleriana</i>	63
(munroana Obenberger MS name)	71
<i>natalensis</i> Kerremans	93 (18)
<i>nautarum</i> Obenberger	31 (9)
<i>ngamensis</i> Obenberger	9, 14 (10)
<i>nickerli</i> Obenberger (incertae sedis)	49
<i>nigribasis</i> Obenberger	17 (4)
<i>nigribasis</i> Théry	17 (4)
<i>nigroconspersa</i> Holm	36 (7)
<i>nigrohirta</i> Théry	85, 98, (18, 30)
<i>nigrosuturalis</i> (Théry)	123
<i>njegus</i> Obenberger	110 (19)
<i>nocturna</i> Holm	114, 119 (20, 34)
<i>nodieri</i> Holm	15 (10)
<i>nubica</i> Obenberger	90
<i>obenbergeri</i> Théry	35 (7)
<i>obscurata</i> Ancy	51, 63 (16, 26)
<i>observata</i> Kolbe	63
<i>obsti</i> Kerremans	8, 48 (10, 23)
<i>ochreonigra</i> Holm	67 (15)
<i>ochreosignatula</i> Obenberger	36 (9)
<i>ochreosparsa</i> Obenberger	30 (9)
<i>octoplagiata</i> Kerremans	55 (11)
<i>octostigma</i> Obenberger	26 (8)
<i>okahandjensis</i> Obenberger	21 (5)
<i>orientalis</i> Kerremans	61 (12)
<i>ovis</i> Gory	89
<i>pastoralis</i> Gestro	22 (5)
(patriuscula Péringuey MS name)	101
<i>pectoralis</i> Castelnau & Gory	42
<i>permicans</i> Abeile	121 (20)
<i>persuperba</i> Obenberger	94

<i>pictipennis</i> Castelnau & Gory	78 (14)
<i>picturata</i> Obenberger	56 (12)
(<i>picturata</i> Péringuey MS name)	10, 29 (9)
<i>planiuscula</i> Castelnau & Gory	115, 120 (20, 33)
<i>polita</i> (Klug)	103
<i>politicollis</i> Obenberger	99
<i>politiformis</i> Obenberger	84, 108 (19, 32)
<i>posticalis</i> Castelnau & Gory	41 (7)
<i>posticeirrorata</i> Obenberger	22
(<i>postverta</i> Obenberger MS name)	26 (8)
<i>praeconjuncta</i> Obenberger	101
<i>prasina</i> Obenberger	57 (12)
<i>prinslooae</i> Holm	51, 79 (16, 28)
<i>prurugosa</i> Holm	32 (6)
<i>pseudogracilis</i> Obenberger	10, 30 (9, 24)
<i>puberula</i> Solier	110 (19)
<i>puella</i> Boheman	85, 101 (19, 30)
<i>punctatissima</i> Thomson	34 (7)
<i>punctipennis</i> Kerremans	78 (14, 26)
<i>pusilla</i> Kerremans	25 (8)
<i>putilla</i> Obenberger	32
(<i>quadrivittata</i> Dejean MS name)	52, 67 (15, 27)
<i>raffrayi</i> Gestro	51, 60 (12, 25)
<i>reaumuri</i> Obenberger	108
<i>repercussa</i> Castelnau & Gory	98
<i>rhodesica</i> Obenberger	107
<i>rothkirchi</i> Obenberger	9, 11 (4, 21)
<i>rubidiplagis</i> Obenberger	52, 66 (16, 26)
<i>rubrozona</i> Kerremans	52, 68 (15, 27)
<i>ruficaudis</i> (de Geer)	91
<i>ruficollis</i> (Thunberg)	114, 117 (20, 33)
<i>sancta</i> Théry	51, 52 (11, 25)
<i>sanguineosignata</i> Castelnau & Gory	103 (17, 31)
<i>saundersi</i> Waterhouse	52, 72 (15, 27)
<i>schoutedeni</i> Obenberger	53 (11)
<i>schroederi</i> Obenberger	76 (13)
<i>schulzei</i> Kerremans	90
<i>sculptilis</i> Harold	90
<i>semicostata</i> Kerremans	90
<i>semicostata</i> Théry	90
<i>semimarmorata</i> Marseul	21
<i>semimarmorea</i> Thomson	21 (5)
<i>senegambica</i> Obenberger	110 (19)
<i>septentrionis</i> Obenberger	22 (5)
<i>signata</i> Castelnau & Gory	9, 12 (8, 22)
<i>signifera</i> Fahraeus	9, 37 (9, 22)
<i>simillima</i> Obenberger	70 (15)
<i>simiola</i> Obenberger	78 (14)
<i>simplicollis</i> Obenberger	39
<i>sincera</i> Obenberger	99
<i>smaragdina</i> Kerremans	85, 102 (17, 31)
<i>soror</i> Fairmaire	109
<i>soudana</i> Marseul	19 (4)
<i>spatulata</i> Holm	81 (16)
<i>spinolae</i> Saunders	79
<i>stellata</i> Marseul	51, 80 (16, 28)
<i>stevensoni</i> Théry	11
<i>stictica</i> Chevrolat	78
<i>stictica</i> Spinola	79
<i>stictithorax</i> Obenberger (<i>incertae sedis</i>)	49
<i>straminea</i> Abeile	47 (10)
<i>strandinella</i> Obenberger	48
<i>strictella</i> Obenberger (<i>incertae sedis</i>)	49
<i>suaveola</i> Péringuey	17 (4)
<i>subalveolata</i> Thomson	94
<i>subcrucigera</i> Obenberger	20 (5)
<i>subdita</i> Abeile	123 (20)
<i>subochroptera</i> Obenberger	32 (6)
<i>subprasina</i> Marseul	51, 63 (16, 26)
<i>sumptuosa</i> Waterhouse	105
(<i>superans</i> Péringuey MS name)	54 (11)
<i>surcoufi</i> (Théry)	123 (20)
<i>susterai</i> Obenberger	101
<i>swammerdami</i> Obenberger	9, 44 (10, 23)
<i>swierstrae</i> Obenberger	93 (18)
<i>tantilla</i> Kerremans	8, 45 (10, 23)
(<i>tantilla</i> Péringuey MS name)	63
<i>tetrascripta</i> Obenberger	26 (8)
<i>theryi</i> Cobos	65 (16)

<i>tibestiana</i> Descarpentries	78 (14)
<i>tibiosa</i> Obenberger	51, 55 (11, 25)
(transvaalensis Obenberger MS name)	93
<i>transvaalicola</i> Obenberger	17 (4)
<i>triangularis</i> Marseul	17 (4)
<i>triangulum</i> Thomson	17 (4)
<i>tricolor</i> Waterhouse	105
<i>trifasciata</i> (Thunberg)	9, 42 (7, 23)
<i>trina</i> Obenberger	21 (5)
<i>trizonata</i> Castelnau	39 (6)
<i>turneri</i> Théry	67
<i>ugandica</i> Obenberger	52, 71 (15, 27)
<i>vanebaptista</i> Obenberger	85, 86 (18)
(vansoni Obenberger MS name)	73 (15)
<i>vansoniella</i> Obenberger	40 (6)
<i>varians</i> Castelnau & Gory	32 (6)
(varians Chevrolat MS name)	31 (9)
<i>varicolor</i> Boheman	38 (9)
<i>vicina</i> Castelnau & Gory	51, 77 (14, 26)
<i>vidua</i> Kerremans	63
(villosa Dejean MS name)	89
<i>violacea</i> Gory	92
<i>virgo</i> Boheman	9, 17 (4, 21)
<i>viridaenea</i> (de Geer)	85, 91, (18, 29)
(viridana Dejean MS name)	120
<i>viridipennis</i> (Théry)	120
<i>viridis</i> Kerremans	99
<i>vulnerata</i> Castelnau & Gory	51, 53 (11, 25)
<i>vylderiana</i> Obenberger	40 (6)
<i>wahlbergi</i> Fahraeus	20 (5)
<i>waterbergensis</i> Holm	51, 60 (12, 25)
(waterburgensis Obenberger MS name)	60
<i>woodi</i> Obenberger	123 (20)
<i>windhoekensis</i> Obenberger	105
<i>xanthoptera</i> Thomson	34 (7)
<i>xanthotaenia</i> (Wiedeman)	39 (6)
<i>yerburyi</i> Waterhouse	123 (20)
<i>zambesiana</i> (Péringuey) (vide <i>Pseudocastalia</i>)	
<i>zambesica</i> Obenberger	84, 111 (19, 32)
<i>zambesicola</i> Obenberger	21 (5)
<i>zanzibarica</i> Kerremans	61 (12)
<i>zavattarii</i> Obenberger	63
<i>zonella</i> Gory	26 (8)
<i>zuluana</i> Théry	112