

THE WORLD OF JEWEL BEETLES - WORLD CATALOGUE

[reprinted or redistributed by permission © C.L. Bellamy 2010]

Genus *NEOJULODIS* Kerremans 1902 [Feminine - 14 species, 9 subspecies - Afrotropical region]

Julodis (*Neojulodis*) Kerremans 1902b:13; 1905:195, 333; 1918:298.

◆ ZOOLOGICAL RECORD for 1902:134.

◆ **Type species:** *Buprestis hirta* Linnaeus 1758 (fixed by subsequent designation: Kerremans 1918:298).

Neojulodis: Obenberger 1926a:32; Holm 1979a:106; 1979b:6; Bellamy 1985a:410; Cobos 1986a:75; Hołyński 1988:50; 1993c:16; Gussmann 1997:338; Bellamy 2003b:14; Gussmann & Holm 2004:246.

Amblysterna: Semenov 1906:152; Théry 1928f:177.

subgenus *NEOJULODIS* Kerremans 1902 [Feminine]

Neojulodis (*Neojulodis*): Holm 1979a:106; 1979b:6; Bellamy 1985a:410; Cobos 1986a:75; Hołyński 1988:50; 1993c:16; Gussmann 1997:338; Bellamy 2003b:14; Gussmann & Holm 2004:246.

◆ **Type species:** *Buprestis hirta* Linnaeus 1758.

subgenus *PROTOJULODIS* Holm 1979 [Feminine]

Neojulodis (*Protojulodis*) Holm 1979a:107; 1979b:6; Bellamy 1985b:410; Hołyński 1993c:16; Bellamy 2003b:14; Gussmann & Holm 2004:280.

◆ ZOOLOGICAL RECORD for 1979:292.

◆ **Type species:** *Julodis vittipennis* Fähræus 1851 (fixed by original designation).

acutipennis (Kerremans) [synonym of *vittipennis*]

azureipennis (Kerremans) [synonym of *myrmido semiimpressa*]

bequaerti (Kerremans) 1913b:440 (*Julodis* (*Neojulodis*)); 1914h:256 (*Julodis*); Schouteden 1916:336; Obenberger 1926a:32; Théry 1928f:187 (*Neojulodis*); Burgeon 1941:130; Holm 1979b:7; fig. 4; 1986b:308; Gussmann & Holm 2004:250.

◆ ZOOLOGICAL RECORD for 1913:227.

▣ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Democratic Republic of Congo

□ **Type:** MRAC

bilineata (Saunders) [subspecies of *vittipennis*]

bouyeri Holm 1986b:307; fig. 18; Gussmann & Holm 2004:248.

◆ ZOOLOGICAL RECORD for 1986:369.

▣ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Democratic Republic of Congo

□ **Type:** MRAC

capensis (Voet) [synonym of *tomentosa lasios*]

clermonti (Théry) 1934c:24 (*Amblysterna*); 1935d:143; Burgeon 1941:130; Holm 1979a:8 (*Neojulodis*); fig. 6; 1985:136; Gussmann & Holm 2004:252.

◆ ZOOLOGICAL RECORD for 1934:230.

▣ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Democratic Republic of Congo

□ **Type:** MNHN

coccinea (Gmelin) [synonym of *hirta*]

costata (Thunberg) [synonym of *hirta*]

deasa (Gory) [synonym of *picta*]

enyassica (Harold) [synonym of *vittipennis subvittata*]

gnaphalon (Herbst) [subspecies of *tomentosa*]

herbstii (Saunders) [synonym of *picta*]

hirta (Linnaeus) 1758:409 (*Buprestis*); 1764:91; 1767:661; Fabricius 1775:221; 1781:278; 1787:181; Olivier 1790a:57; Pl. III, fig. 18; 1790b:230; Fabricius 1793:204; 1801:202; Herbst 1801:31; Illiger 1805:91; Schönherr 1817:249; Billberg 1820b:23 (*Sternoxus*); Dejean 1821:29 (*Buprestis*); 1833:74 (*Julodis*); Solier 1833:273; Gistel 1834:10 (*Phyllis*); Laporte 1835:165; Laporte & Gory 1835:27; Pl. 8, fig. 39; Dejean 1836:84; Mannerheim 1837:23; Laporte 1840:212; Sturm 1843:56; Lacordaire 1857:13; Saunders 1870:17; 1871:3; Kerremans 1902b:14 (*Julodis* (*Neojulodis*)); 1905:344; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:192 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:83; Holm 1979b:18; fig. 15; Gussmann & Holm 2004:296.

▣ [subgenus *Neojulodis*]

◆ **Distribution:** AFR South Africa Western Cape

□ **Type:** LSUK

SYNONYM: *coccinea* (Gmelin) 1790:1941 (*Buprestis*); Schönherr 1817:249 (syn. of *tomentosa* Herbst); Laporte &

Gory 1835:28 (*Julodis*); Sturm 1843:56; Gemminger & Harold 1869:1351; Saunders 1870:17 (*Julodis*, syn. of *hirta*); 1871:3; Kerremans 1902b:14 (subg. *Neojulodis*); 1905:344; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:83; Holm 1979b:18.

□ **Type:** type?

SYNONYM: *striata* (Voet) 1806:96 (*Cucujus*); Saunders 1870:17 (*Julodis*, syn. of *hirta*); 1871:3; Kerremans 1902b:14 (subg. *Neojulodis*); 1905:344; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*, syn. of *hirta tomentosa*); Ferreira & da Veiga-Ferreira 1958c:83; Holm 1979b:18.

□ **Type:** Neotype needed

SYNONYM: *costata* (Thunberg) 1827:45 (*Buprestis*, preocc. *costata* Herbst 1801); Saunders 1870:17 (*Julodis*, syn. of *hirta*) 1871:3; Kerremans 1902b:14 (subg. *Neojulodis*); 1905:344; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:83; Holm 1979b:18 (lectotype).

□ **Type:** UZIU

integrovittata Théry [synonym of *papillosa*]

jakobsoni Obenberger [synonym of *myrmido*]

lasios (Herbst) [subspecies of *tomentosa*]

laticollis (Gahan) 1900:25 (*Julodis*); Kerremans 1907e:610; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:185 (*Amblysterna*); Holm 1979b:6; fig. 2; 1985:136; Gussmann & Holm 2004:276.

◆ ZOOLOGICAL RECORD for 1900:148.

■ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Ethiopia Kenya Somalia

□ **Type:** BMNH

SYNONYM: *somereni* (Théry) 1930g:139 (*Amblysterna*); Holm 1979b:6 (syn. of *laticollis*).

◆ ZOOLOGICAL RECORD for 1930:196.

□ **Type:** BMNH

lucidicollis (Chevrolat) [synonym of *papillosa*]

myrmido (Fairmaire) 1882:50 (*Julodis*); Kerremans 1891:cclxxxviii; 1892c:21; Kolbe 1897c:199; Kerremans 1902b:14; 1905:355 (*Julodis* (*Neojulodis*)); Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:189 (*Amblysterna*); Holm 1979b:8; 1985:136; Gussmann & Holm 2004:254.

◆ ZOOLOGICAL RECORD for 1882:71.

■ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Ethiopia Somalia Tanzania Uganda

□ **Type:** MNHN

SYNONYM: *jakobsoni* Obenberger 1928l:80; Holm 1979b:8 (syn. of *myrmido*).

◆ ZOOLOGICAL RECORD for 1928:197.

□ **Type:** NMPC 19614

SUBSPECIES: **politicorum** Holm 1979b:9 (ssp. of *myrmido*); 1985:137; Gussmann & Holm 2004:258.

◆ ZOOLOGICAL RECORD for 1979:292.

◆ **Distribution:** Ethiopia Tanzania

□ **Type:** TMSA COLTYPE 3

SUBSPECIES: **semiimpressa** (Fairmaire) 1891c:cclxxxvii (*Julodis*); Kerremans 1891:cclxxxvii; 1892c:23; Gestro 1895:342; Kolbe 1897c:199; Kerremans 1902b:14 (subg. *Neojulodis*); 1905:359 (syn. of *vittipennis*); Pl. 5, fig. 7; Obst 1905:424 (*Julodis*); Kerremans 1907d:91; 1909c:11; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:186 (*Amblysterna*); Obenberger 1939q:2; Théry 1941a:92; Holm 1979b:9 (ssp. of *myrmido*); fig. 3; 1985:137; Gussmann & Holm 2004:256.

◆ ZOOLOGICAL RECORD for 1891:122.

◆ **Distribution:** Eritrea Ethiopia Kenya Somalia Tanzania Uganda

□ **Type:** NHMW

SYNONYM: *picardi* (Théry) 1895a:cxv (*Julodis*); Kerremans 1902b:14; 1905:360 (subg. *Neojulodis*, syn. of *vittipennis*); 1909c:11; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:187 (*Amblysterna*, ssp. of *semiimpressa*); Holm 1979b:9 (syn. of *myrmido semiimpressa*, lectotype).

◆ ZOOLOGICAL RECORD for 1895:153.

□ **Type:** MNHN

SYNONYM: *azureipennis* (Kerremans) 1902b:14 (*Julodis* (*Neojulodis*), var. of *semiimpressa*); 1905:360 (var. of *vittipennis*); 1909c:11; 1914h:213; Obenberger 1926a:34 (*Neojulodis*); 1928a:5 (ssp. of *azureipennis*); Théry 1928f:187 (*Amblysterna*, var. of *semiimpressa*); Holm 1979b:9.

□ **Type:** BMNH

SYNONYM: *rothschildi* Théry 1909a:438; 1922c:579; Obenberger 1926a:33; Théry 1928f:185 (*Amblysterna*); Holm 1979b:9 (syn. of *myrmido semiimpressa*).

◆ ZOOLOGICAL RECORD for 1909:238.

□ **Type:** MNHN

nyssica (Fairmaire) [synonym of *vittipennis subvittata*]

pallida (Thunberg) [synonym of *tomentosa lasios*]

papillosa (Thunberg) 1827:46 (*Buprestis*); Saunders 1870:32 (*Julodis*, syn. of *tomentosa*); 1871:3; Kerremans 1892c:24; 1902b:13 (*Julodis* (*Neojulodis*)); 1905:350 (syn. of *tomentosa*); Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*, syn. of *hirta tomentosa*); Ferreira & da Veiga-Ferreira 1958c:90; Holm 1979b:18; fig. 14; 1985:138; Bellamy & Westcott 1995c:220; Gussmann & Holm 2004:290.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR **South Africa** Eastern Cape Northern Cape Western Cape

□ **Type:** UZIU

MISIDENTIFICATION: *tomentosa* (Olivier *sensu* Laporte & Gory) 1835:28 (*Julodis*, not *tomentosa* Olivier 1790); Saunders 1871:3 (syn. of *picta*); Kerremans 1892c:21; 1905:347 (*Julodis* (*Neojulodis*), var. of *lucidicollis*); Obenberger 1926a:33 (*Neojulodis*, syn. of *lucidicollis*); Théry 1928f:192 (*Amblysterna*, ssp. of *hirta*); Ferreira & da Veiga-Ferreira 1958c:84; Holm 1979b:18.

SYNONYM: *integrovittata* Théry 1928f:192 (*Amblysterna*, nom. nov.: *tomentosa* Laporte & Gory 1835); Ferreira & da Veiga-Ferreira 1958c:84 (*Neojulodis*); Holm 1979b:18.

SYNONYM: *lucidicollis* (Chevrolat) 1838a:50 (*Julodis*); Lacordaire 1857:14; Gemminger & Harold 1869:1351; Saunders 1871:3; Kerremans 1892c:21; 1902b:13 (*Julodis* (*Neojulodis*), syn. of *picta* Thunberg); 1905:347; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:193 (*Amblysterna*, var. of *hirta*); Ferreira & da Veiga-Ferreira 1958c:84; Holm 1979b:18 (syn. of *papillosa*).

□ **Type:** BMNH

MISIDENTIFICATION: *picta* (Thunberg *sensu* Gory) 1840:24 (*Julodis*, not *picta* Thunberg 1827); Pl. 5, fig. 22; Gemminger & Harold 1869:1349 (syn. of *gnaphalon*); Saunders 1871:3; Kerremans 1892c:21; 1905:347 (*Julodis* (*Neojulodis*), var. of *lucidicollis*); Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:193 (*Amblysterna*, var. of *hirta*); Ferreira & da Veiga-Ferreira 1958c:84; Holm 1979b:18.

UNAVAILABLE NAME: *valenciennei* (Dejean) 1821:29 (*Buprestis*, nom. nud.); 1833:74 (*Julodis*); 1836:84; Gemminger & Harold 1869:1349; Kerremans 1892c:24.

SYNONYM: *puerilis* (Gerstäcker) 1884:51 (*Julodis*); Kerremans 1891:cclxxxvii; 1892c:22; Kolbe 1897c:199; Kerremans 1902b:14; 1905:353; 1909c:10; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:187 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:92; Holm 1979b:18 (neotype, syn. of *papillosa*).

◆ **ZOOLOGICAL RECORD** for 1884:70.

□ **Type:** TMSA COLTYPE 4

picardi (Théry) [synonym of *myrmido semiimpressa*]

picta (Gory) [synonym of *papillosa*]

picta (Thunberg) 1827:47 (*Buprestis*); Saunders 1870:16 (*Julodis*, syn. of *herbstii*); 1871:3; Kerremans 1902b:13 (*Julodis* (*Neojulodis*)); 1905:342 (syn. of *herbstii*); Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:193 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:86; Holm 1979b:16; fig. 12; 1985:137; Bellamy, *et al.* 1988:74; Bellamy 2001a:27 (petition to conserve name); ICZN 2002a:211 (Opinion 2008: name conserved); Gussmann & Holm 2004:298.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR **South Africa** Eastern Cape Northern Cape Western Cape

□ **Type:** UZIU

SYNONYM: *tomentosa* (Herbst) 1801:33 (*Buprestis*, preocc: *tomentosa* Olivier 1790); Schönherr 1817:249; Laporte 1835:165; Laporte & Gory 1835:28 (*Julodis*); Dejean 1836:84; Mannerheim 1837:23; Sturm 1843:56; Lacordaire 1857:14; Gemminger & Harold 1869:1351; Saunders 1870:16 (syn. of *herbstii*); 1871:3; Kerremans 1885:122; 1902b:13 (subg. *Neojulodis*); 1905:342; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:193; Ferreira & da Veiga-Ferreira 1958c:86; Holm 1979b:16.

□ **Type:** ZMHB

SYNONYM: *deasa* (Gory) 1840:25 (*Julodis*); Pl. 5, fig. 23; Gemminger & Harold 1869:1349; Saunders 1871:3; Kerremans 1892c:17; 1902b:14; 1905:340 (syn. of *subcostata*); Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:194 (*Amblysterna*, var. of *picta*); Ferreira & da Veiga-Ferreira 1958c:86; Holm 1979b:16.

□ **Type:** MNHN

SYNONYM: *herbstii* (Saunders) 1870:16 (*Julodis*, nom. nov.: *tomentosa* Herbst 1801); 1871:3; Kerremans 1885:122; 1902b:13 (subg. *Neojulodis*); 1905:342; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:193; Ferreira & da Veiga-Ferreira 1958c:86; Holm 1979b:16.

◆ **ZOOLOGICAL RECORD** for 1870:285.

UNAVAILABLE NAME: *proxima* Ferreira & da Veiga-Ferreira 1958c:92 (var. of *tomentosa*); Holm 1979b:16 (syn. of *papillosa*); Gussmann & Holm 2004:322 (unvn.).

◆ **ZOOLOGICAL RECORD** for 1958:391.

□ **Type:** type?

UNAVAILABLE NAME: *saga* Péringuey (*nom. nud.*): Kerremans 1905:342.

SUBSPECIES: **vantonderae** Holm 1979b:17 (ssp. of *picta*); 1985:137; Bellamy & Westcott 1995c:220; Gussmann & Holm 2004:300.

◆ ZOOLOGICAL RECORD for 1979:292.

◆ **Distribution:** South Africa Northern Cape Western Cape

□ **Type:** TMSA COLTYPE 5

politicorum Holm [subspecies of *myrmido*]

puerilis (Gerstäcker) [synonym of *papillosa*]

purpurescens Holm & Gussmann 1991:61; fig. 4; Gussmann & Holm 2004:282.

◆ ZOOLOGICAL RECORD for 1991/92:325.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR South Africa Northern Cape

□ **Type:** TMSA COLTYPE 6

rothschildi Théry [synonym of *myrmido semiimpressa*]

rufolimbata (Fairmaire) 1888a:179 (*Julodis*); Kerremans 1892c:22; 1902b:14 (*Julodis* (*Neojulodis*)); 1905:354; Pl. 5, fig. 6; Obst 1906:168; Kerremans 1918:299; Obenberger 1926a:33; Théry 1928f:190 (ssp. of *vittipennis*), 197 (var. of *vittipennis*); Ferreira & da Veiga-Ferreira 1958c:95 (var. of *vittipennis*); Holm 1979b:10; fig. 5; Gussmann & Holm 2004:260.

◆ ZOOLOGICAL RECORD for 1888:124.

□ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Botswana Namibia

□ **Type:** BMNH

satanas Obenberger [subspecies of *vittipennis*]

sebastiani Holm [subspecies of *vittipennis*]

semiimpressa (Fairmaire) [subspecies of *myrmido*]

setosa (Thunberg) 1827:46 (*Buprestis*); Saunders 1870:29 (*Julodis*); 1871:3; Kerremans 1892c:23; 1902b:14; 1905:350 (syn. of *tomentosa*); Obenberger 1926a:34 (*Neojulodis*, syn. of *tomentosa*); Théry 1928f:197 (*Amblysterna*); Ferreira & Ferreira 1958c:90; Holm 1979b:22 (*Incertae sedis*); Gussmann & Holm 2004:323.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR South Africa “Cape”

□ **Type:** UZIU

somereni Théry [synonym of *laticollis*]

striata (Voet) [synonym of *hirta*]

subcostata (Laporte) 1835:163 (*Julodis*); Laporte & Gory 1835:27; Pl. 8, fig. 38; Sturm 1843:56; Gemminger & Harold 1869:1351; Saunders 1871:2; Kerremans 1892c:23; 1902b:14 (*Julodis* (*Neojulodis*)); 1905:340; Obenberger 1926a:33 (*Neojulodis*); Théry 1928f:194 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:87; Holm 1979b:15; fig. 11; Gussmann & Holm 2004:294.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR South Africa Western Cape

□ **Type:** MNHN

UNAVAILABLE NAME: *patruelis* Dejean 1833:74 (*Julodis*, *nom. nud.*); 1836:84; Gemminger & Harold 1869:1351.

submarmorea (Thomson) [synonym of *vittipennis subvittata*]

subvittata (Saunders) [subspecies of *vittipennis*]

tomentosa (Herbst) [synonym of *picta*]

tomentosa (Laporte & Gory) [synonym of *papillosa*]

tomentosa (Olivier) 1790a:56 (*Buprestis*); Pl. IV, fig. 37; 1790b:230; Schönherr 1817:249 (syn. of *gnaphalon*); Billberg 1820b:23 (*Sternoxus*); Laporte & Gory 1835:29 (*Julodis*); Pl. 9, fig. 40; Dejean 1833:74; Laporte 1835:165; Dejean 1836:84; Mannerheim 1837:23; Lacordaire 1857:13; Gemminger & Harold 1869:1349; Saunders 1870:32; 1871:3; Kerremans 1892c:24; 1902b:13 (*Julodis* (*Neojulodis*)); 1905:350; Obenberger 1926a:35 (*Neojulodis*); Théry 1928f:193 (*Amblysterna*, ssp. of *hirta*); Ferreira & da Veiga-Ferreira 1958c:90; Holm 1979b:20 (lectotype); Bellamy 2003b:103; fig. 9; Gussmann & Holm 2004:284.

□ [subgenus *Neojulodis*]

◆ **Distribution:** AFR South Africa Western Cape

□ **Type:** BMNH

UNAVAILABLE NAME: *hirta* var. 5 Kerremans 1892c:24; 1905:350.

UNAVAILABLE NAME: *apicigera* (Chevrolat) (*Julodis*, *nom. nud.*); Kerremans 1886a:xxxvii.

SUBSPECIES: **gnaphalon** (Herbst) 1801:34 (*Buprestis*); Schönherr 1817:249; Dejean 1833:74 (*Julodis*); Solier 1833:273; Laporte 1835:165; Laporte & Gory 1835:29; Pl. 9, fig. 41; Dejean 1836:84; Mannerheim 1837:24; Sturm 1843:56; Lacordaire 1857:13; Gemminger & Harold 1869:1349; Saunders 1870:32 (syn. of *tomentosa*); 1871:3;

Kerremans 1892c:24; 1902b:13 (subg. *Neojulodis*); 1905:350; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:90; Holm 1979b:21 (ssp. of *tomentosa*); fig. 16; 1985:138; Bellamy & Westcott 1995c:220; Gussmann & Holm 2004:288.

◆ **Distribution:** South Africa Western Cape

□ **Type:** ZMHB

SUBSPECIES: **lasios** (Herbst) 1801:37 (*Buprestis*); Schönherr 1817:248; Billberg 1820b:23 (*Sternoxus*); Dejean 1833:74 (*Julodis*); Solier 1833:273; Laporte 1835:165; Laporte & Gory 1835:30; Pl. 9, fig. 42; Dejean 1836:84; Mannerheim 1837:24; Sturm 1843:56; Lacordaire 1857:13; Gemminger & Harold 1869:1349; Saunders 1870:19; 1871:3; Kerremans 1892c:20; 1902b:13 (subg. *Neojulodis*); 1905:351; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:193 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:90; Holm 1979b:21 (ssp. of *tomentosa*, lectotype); fig. 17; 1985:137; Bellamy & Westcott 1995c:220; Gussmann & Holm 2004:286.

◆ **Distribution:** South Africa Northern Cape Western Cape

□ **Type:** ZMHB

SYNONYM: *capensis* (Voet) 1806:96 (*Cucujus*); Saunders 1870:19 (syn. of *lasios*); 1871:3 (*Julodis*); Kerremans 1892c:20; 1902b:13 (subg. *Neojulodis*); 1905:350 (syn. of *tomentosa* Olivier); Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*, syn. of *hirta tomentosa*); Ferreira & da Veiga-Ferreira 1958c:90; Holm 1979b:22.

□ **Type:** Neotype needed

SYNONYM: *pallida* (Thunberg) 1827:46 (*Buprestis*); Saunders 1870:19 (*Julodis*, syn. of *lasios*); 1871:3; Kerremans 1892c:20; 1902b:13 (*Julodis* (*Neojulodis*), syn. of *tomentosa* Olivier); Holm 1979b:22.

□ **Type:** UZIU

UNAVAILABLE NAME: *rubrifrons* (Chevrolat) (*Julodis*, nom. nud.); Kerremans 1886a:xxxvii.

transvaalensis (Thomson) [synonym of *vittipennis*]

vagevittata (Fairmaire) [synonym of *vittipennis bilineata*]

vantonderae Holm [subspecies of *picta*]

vittipennis (Fähræus in Boheman) 1851:300 (*Julodis*); Lacordaire 1857:14; Boheman 1860:16; Klug 1862:182; Gemminger & Harold 1869:1352; Saunders 1871:2 (*Amblysterna*); Thomson 1878b:8; Kerremans 1885:121; Fairmaire 1887a:139; 1888a:174; Kerremans 1892c:24; 1902b:14 (*Julodis* (*Neojulodis*)); 1905:359; 1904a:62; Heyne & Taschenberg 1907:162; Kerremans 1908f:93; 1909c:11 (*Neojulodis*); 1911c:85; 1914h:213; Obenberger 1926a:33; Théry 1928f:190 (*Amblysterna*); 1946c:27; Ferreira & da Veiga-Ferreira 1958c:92; Ferreira 1963:393; 1966:116; Descarpentries 1970a:192; Holm 1979b:11 (lectotype); fig. 1; 1985:137; Bellamy, *et al.* 1988:74; Bellamy 1997g:355; 2003b:103; fig. 10; Gussmann & Holm 2004:263.

□ [subgenus *Protojulodis*]

◆ **Distribution:** AFR Angola Ethiopia Lesotho Moçambique Namibia South Africa Northern Cape Free State Kwazulu-Natal "Transvaal" Swaziland Zambia Zimbabwe

□ **Type:** NHRS

UNAVAILABLE NAME: *transvaalensis* Deyrolle (nom. nud.); Thomson 1878b:9.

SYNONYM: *transvaalensis* (Thomson) 1878b:9 (*Amblysterna*); Kerremans 1885:121; 1892c:24 (*transvalensis*); Kolbe 1897c:199; Kerremans 1902b:14 (*Julodis* (*Neojulodis*), syn. of *vittipennis*); 1905:359 (var. of *vittipennis*); 1904a:62; Heyne & Taschenberg 1907:162; Kerremans 1907d:91; 1909c:11 (*Neojulodis*); 1911c:85; 1914h:213; Obenberger 1926a:34; Théry 1928f:196 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:92; Holm 1979b:11.

◆ ZOOLOGICAL RECORD for 1878:65.

□ **Type:** MNHN

SYNONYM: *acutipennis* (Kerremans) 1886c:xxxv (*Amblysterna*); 1891b:156 (var. of *vittipennis*); 1892c:24; 1902b:14 (*Julodis* (*Neojulodis*), syn. of *vittipennis*); 1904a:62; 1905:359; Heyne & Taschenberg 1907:162; Kerremans 1909c:11; Obenberger 1926a:34; Théry 1928f:196 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:92; Holm 1979b:11.

◆ ZOOLOGICAL RECORD for 1886:142.

□ **Type:** BMNH

SUBSPECIES: **bilineata** (Saunders) 1874b:220 (*Amblysterna*); Kerremans 1885:121; 1892c:16 (*Julodis*); 1902b:14; 1904a:62; 1905:357; Obenberger 1926a:32 (*Neojulodis*); Théry 1928f:190 (*Amblysterna*, ssp. of *vittipennis*), 197 (var. of *vittipennis*); 1946c:4, 27, 28; Ferreira & da Veiga-Ferreira 1958c:93; Ferreira 1965:835; Descarpentries 1970a:193; Holm 1979b:13; Gussmann & Holm 2004:268.

◆ ZOOLOGICAL RECORD for 1874:288.

◆ **Distribution:** Angola Tanzania

□ **Type:** BMNH

SYNONYM: *vagevittata* (Fairmaire) 1887a:138 (*Julodis*); Kerremans 1892c:24; Kolbe 1897c:199; Kerremans 1902b:14 (subg. *Neojulodis*); 1904a:62; 1905:357; Obenberger 1926a:33 (*Neojulodis*, var. of *bilineata*);

Théry 1928f:197 (*Amblysterna*, syn. of *subvittata enyassica*); Ferreira & da Veiga-Ferreira 1958c:93; Holm 1979b:14 (lectotype).

◆ ZOOLOGICAL RECORD for 1887:129.

□ **Type:** MNHN

SUBSPECIES: **satanas** Obenberger 1916a:9; 1926a:33; Théry 1928f:197 (? syn. of *vittipennis enyassica*); Ferreira & da Veiga-Ferreira 1958c:93; Holm 1979b:13; 1985:137; Gussmann & Holm 2004:272.

◆ ZOOLOGICAL RECORD for 1916:113.

◆ **Distribution:** Tanzania Zambia

□ **Type:** NMPC 19613

SUBSPECIES: **sebastiani** Holm 1979b:14 (ssp. of *vittipennis*); 1985:137; Gussmann & Holm 2004:274.

◆ ZOOLOGICAL RECORD for 1979:292.

◆ **Distribution:** Namibia South Africa “Cape” Free State

□ **Type:** SANC

SUBSPECIES: **subvittata** (Saunders) 1872:239 (*Amblysterna*); Kerremans 1885:121; 1892c:23; 1902b:14; 1905:356 (subg. *Neojulodis*); 1913e:575; 1913f:575; 1918:299; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:191 (*Amblysterna*); 1934j:2; Théry 1946c:28; Ferreira & da Veiga-Ferreira 1958c:93; Ferreira 1963:394; Holm 1979b:13; 1985:137; Gussmann & Holm 2004:270.

◆ ZOOLOGICAL RECORD for 1872:268.

◆ **Distribution:** Malawi Moçambique Zimbabwe

□ **Type:** BMNH

UNAVAILABLE NAME: *submarmorea* Deyrolle (*nom. nud.*): Thomson 1878b:9.

SYNONYM: *submarmorea* (Thomson) 1878b:9 (*Amblysterna*); Kerremans 1885:121; Fairmaire 1887a:139;

Kerremans 1892c:23; Kolbe 1897c:199; Kerremans 1902b:14; 1905:360 (subg. *Neojulodis*, var. of *vittipennis*); 1909c:11; Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*); Ferreira & da Veiga-Ferreira 1958c:92; Holm 1979b:13 (syn. of *vittipennis subvittata*).

◆ ZOOLOGICAL RECORD for 1878:65.

□ **Type:** MNHN

SYNONYM: *enyassica* (Harold) 1878:215 (*Amblysterna*); Kerremans 1885:121; 1892c:17; Kolbe 1897c:198; Kerremans 1902b:14; 1905:356 (syn. of *subvittata*); Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:190 (*Amblysterna*, ssp. of *vittipennis*), 197 (var. of *vittipennis*); Obenberger 1937aa:123; Ferreira & da Veiga-Ferreira 1958c:93; Holm 1979b:13 (lectotype).

□ **Type:** ZSMC

SYNONYM: *nyassica* (Fairmaire) 1887a:139 (*Amblysterna*); Kerremans 1892c:14; 1902b:14; 1905:356 (syn. of *subvittata*); Obenberger 1926a:34 (*Neojulodis*); Théry 1928f:197 (*Amblysterna*, var. of *vittipennis*); Ferreira & da Veiga-Ferreira 1958c:93; Holm 1979b:13.

◆ ZOOLOGICAL RECORD for 1887:129.

□ **Type:** MNHN